



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/888,321	06/21/2001	Agha B. Hussain	IDT-1624	7215

27158 7590 06/10/2004

BEVER, HOFFMAN & HARMS, LLP
1432 CONCANNON BLVD
BUILDING G
LIVERMORE, CA 94550-6006

EXAMINER

SORRELL, ERON J

ART UNIT

PAPER NUMBER

2182

DATE MAILED: 06/10/2004

10

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/888,321

Applicant(s)

HUSSAIN ET AL.

Examiner

Eron J Sorrell

Art Unit

2182

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 29 March 2004.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-36 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☒ Claim(s) 1-14 and 24-36 is/are allowed.
- 6) ☒ Claim(s) 15, 16 and 23 is/are rejected.
- 7) ☒ Claim(s) 17-22 is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 21 June 2001 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- ☒ Notice of References Cited (PTO-892)
- ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____
- ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date _____
- ☐ Notice of Informal Patent Application (PTO-152)
- ☐ Other: _____

Art Unit: 2182

DETAILED ACTION

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

2. Claim 15 is rejected under 35 U.S.C. 102(e) as being anticipated by Duda (U.S. Patent No. 6,275,877).

3. Referring to claim 15, Duda teaches a method of performing a fly-by read operation, the method comprising the steps of:

reading data words from a memory device in a slave peripheral, wherein the each of the data words includes N bytes (see lines 25-29 of column 7);

incrementing a read pointer of the memory device each time a data word is read from the memory device (see lines 24-31 of column 13);

aligning the data words read from the memory device to a system bus (see lines 28-31 of column 13); and

adjusting the read pointer at the end of the fly-by read operation (see lines 24-31 of column 13).

4. Referring to claim 16, Duda teaches the method further comprises the step of providing byte enable signals on the system bus using a direct memory access (DMA) controller, the byte enable signals corresponding with bytes of data words being transferred (see lines 13-64 of column 16).

5. Referring to claim 23, Petersen discloses operating the memory device in a first in, first out (FIFO) manner (see paragraph bridging columns 17 and 18).

Allowable Subject Matter

6. Claims 1-14 and 24-36 are allowed.

7. Claims 17-22 objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Conclusion

8. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. The following

Art Unit: 2182

references are cited to further show the state of the art as it pertains to system with systems that perform fly-by DMA and/or data alignment in data transfer operations:

U.S. Patent No. 6,662,258 to Lukanc et al. discloses fly-by DMA read and write operations, however Lukanc fails to disclose anything relating to alignment operations.


U.S. Patent No. 5,297,242 to Miki teaches alignment modules within DMA controllers, however Miki fails to teach read and write alignment modules located with a memory controller and a slave device as required by the claims.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Eron J Sorrell whose telephone number is 703 305-7800. The examiner can normally be reached on Monday-Friday 9:00AM - 5:30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jeffrey A Gaffin can be reached on 703 308-3301. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

EJS
June 8, 2004



JEFFREY GAFFIN
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2100